# **Material Safety Data Sheet**

HMIS: 1-0-0-E

MSDS No. Mixes 101-A

Emergency Phone No. (773)262-4030

	SECTION 1 – P	RODUCT NAME &	MANUFACTUR	EK INF	OKMA I I	UN	
PRODUCT NAME	Gork's Goodfilla	Clear Grain Filler					
MANUFACTURER'S N TELEPHONE NUMBER		& ATOM Ventures, LLC					
STREET ADDRESS	4500 N. Ravenswo	od Ave					
CITY / STATE / ZIP	Chicago, Illinois 600	540					
SECTION	N 2 – COMPOSITIO	N / HAZARDOUS IN	NGREDIENTS	%	TLV	PEL	UNITS
PRODUCT CONSISTS	OF:						
Water (7732-1	8-5)			<97	Not Hazardous	Not Hazardous	NA
Copolymer (proprietary)			<0.50	Not Hazardous	Not Hazardous	mg/m3	
** ** . 1 *	P	1 1 0000 0		<3	NA NA	NA	
Standard (29 C	CFR 1910.1200).	lous under the OSHA Hazard Con					
Calculated VC	OC: < 0.01% (<2 g/L). CARB C	Compliance: Yes. Prop 65 Ingredie	ents: No (See Section 16)				
	SI	ECTION 3 – HAZAR	DS IDENTIFICA	TION			
PRIMARY ROUTE(S) OF ENTRY	Skin Contact	Skin Absorption	Eye Contact		Inhalation	⊠ Ing	gestion
EMERGENCY OVERVIEW	This product is a water-based colored paste with a slight odor.						
EFFECTS OF OVEREXPOSURE	Prolonged or repeated contact may cause skin irritation. May be harmful if swallowed. Dust generated by sanding, sawing, or abrading this hardened						
	<u> </u>	to the eyes and respiratory system previously existing respiratory co					
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE	Sanding dusts may aggravate	previously existing respiratory ec	nutrons.				
		SECTION 4 – FIRS	T AID MEASUR	ES			
SKIN CONTACT	Wash the exposed area with soap & water. Contact physician if irritation or pain continues.						
EYE CONTACT	Flush eyes with water for 15 minutes. Contact physician if irritation or pain continues.						
INHALATION	Remove to fresh air immediately. If breathing has stopped, start resuscitation and administer oxygen. Call a physician.						
INGESTION	DO NOT INDUCE VOMITING. Dilute with large amounts of water or milk. Get medical attention.						

SECTION 5 – FIRE FIGHTING MEASURES						
FLAMABLE Yes No						
EXTINGUISHING Carbon Dioxide, Dry Chemical, Foam MEDIA						
FLASHPOINT (°F) & Not tested METHOD	UPPER EXPLOSIVE LIM (% BY VOLUME)	II <sup>NE</sup>				
LOWER EXPLOSIVE LIMIT NE (% BY VOLUME)	AUTOIGNITION TEMPERTURE (°F)	NE				
UNUSUAL FIRE & During a fire situation, smoke may contain toxic/irri	itating products containing	CO and CO2				
SPECIAL None known. FIREFIGHTING PROCEDURES						
SECTION 6 – ACCIDENTAL RELEASE MEASURES						
PROCEDURES  Keep unnecessary personnel away. See Section 8-Exposure Controls/Personal Protection.  Do not rinse product into potable water supply sources. Eliminate all sources of ignition. Dike large spills and pump into salvage tank.  Absorb with suitable material.						
SECTION 7 – HA	NDLING & ST	ORAGE				
HANDLING PROCEDURES & EQUIPMENT Avoid prolonged or repeated skin contact. Avoid by Keep away from Children.	reathing dusts. Use with a	dequate ventilation. Prohibit eating or smoking.				
STORAGE REQUIREMENTS Store in original container. Keep tightly closed whe		from heat, sparks and open flame.				
Store in a cool, dry, well-ventilated area away from	direct sunlight.					
SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION						
	nes (see Section 2). Suita	ble dust mask recommended when adequate ventilation cannot be				
provided (i.e. in case of significant dust accumulation).  Recommend eye protection designed to protect against dust irr	itation.					
GLOVES on environmental conditions versus potential for exposure.	GLOVES  Gloves are recommended to avoid dermal contact with any chemical product. Clean, long legged, long –sleeved work clothes are recommended (depending on environmental conditions versus potential for exposure.					
Week hands the consistence of th						
HYGENIC wash nands thoroughly after use.  PRACTICES						
SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES						
PHYSICAL STATE Colored Paste	ODOR & APPEARANCE	Mild odor, smooth colored paste.				
SPECIFIC GRAVITY 1 to 1	VAPOR DENSITY (AIR=1)	Heavier than air				
EVAPORATION RATE The same as water	BOILING RANGE (°F)	Unknown, greater than 212 F				
pH Approximately 7 to 9	SOLUBILITY IN WATER	Slight, before drying.				
VAPOR PRESSURE (MM Hg) NE	%/WT VOLATILE (TNV)	Approximately 25 %				
SECTION 10 – STABILITY AND REACTIVITY						
STABILITY Yes No Stable under normal conditions.						
INCOMPATABILITY Yes No None known.						
CONDITIONS Excessive heat. TO AVOID						
HAZARDOUS POLYMERIZATION/HAZARDOUS DECOMPOSITION PRODUCTS Hazardous polymerization will not occur under normal conditions. Normal decomposition products: oxides of carbon.						

	SECTION 11 – TOXICOLOGICAL INFORMATION / CARCINOGENICITY
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NIP
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH

#### **SECTION 12 – ECOLOGICAL INFORMATION**

AQUATIC TOXICITY

Possible Marine pollutant. Do not dispose of in any waterway, sanitary or industrial sewer system. This product does not degrade naturally. Not expected to cause ecological problems.

#### **SECTION 13 – DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL

EPA WASTE CODE IF
DISCARDED (40CFR Sec.261)

Dispose of material in accordance w/ Federal, State & Local regulations. For further information, contact your state or local solid waste agency or the U.S. EPA RCRA Hotline (1-800-424-9346)

None.

## **SECTION 14 – TRANSPORT INFORMATION**

SPECIAL SHIPPING INFORMATION

PRODUCT NOT REGULATED BY DOT.

SECTION 15 – REGULATORY INFORMATION								
CERCLA – SARA HAZARD CATEGORY	None.	U.S. See Section 16. STATE REGS						
SARA 313	None.	TSCA All ingredients either on TSCA Inventory or exempt.						

### SECTION 16 - OTHER INFORMATION / SPECIAL PRECAUTIONS / LEGEND

NJ Right-to-Know: (Top 5 Ingredients): Water (7732-18-5), Copolymer (proprietary).

California Prop. 65 Components This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

HMIS Rating Health hazard: 1 Chronic Health Hazard: Flammability: 0 Physical Hazard 0

NFPA Rating Health hazard: 1 Fire Hazard: 0 Reactivity Hazard: 0

<u>LEGEND</u>: NA – Not Applicable, NE – Not Established, UN – Unavailable, VOC – Volatile Organic Compound, PEL – Permissible Exposure Limit, TLV – Threshold Limit Value, STEL – Short Term Exposure Limit, MSDS – Material Safety Data Sheet, ACGIH – American Conference of Governmental Industrial Hygienists, SARA – Superfund Amendments & Reauthorization Act of 1986, OSHA – Occupational Safety & Health Administration, HMIS – Hazardous Materials Identification System, NTP – National Toxicology Program, CEIL – Ceiling Exposure Limit, CASRN (CAS Number) – Chemical Abstracts Service Registry Number, TSCA – Toxic Substances Control Act

Reviewed By: B Gork

The information contained herein has been developed based upon currently available scientific data. New information may be de veloped from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or mission.