

Material Safety Data Sheet						
Product Name/Code		HMIS CODES				
ODORLESS STAIN FOR WOOD FLOORS / TF SERIES		health 1 flammability 0 reactivity 0				
ODOREEGO GTAINT GR WOOD TEG	NOTH SERIES	nealth i	arrificability 0	reactivity o	,	
Section 1 Product and Company Identific	ation	1				
Manufacturer's name		Emergency Telephone Number				
Saman 3777472 Canada inc. Address (Number, Street, City, State and ZIP Code)		819-751-2350 Telephone Number for Information				
,						
1235, rue de L'Acadie Victoriaville (Québec) Canada		819-751-2350				
G6T 1W4						
Date May 2015		Prepared by Yvan Désilets				
•						
Section 2 Hazardous Ingredients/Identity	Information	I				
HAZARDOUS COMPONENTS						DERMAL LD50
NAME / CAS NO.	WT %	OSHA PEL	ACGIH TLV	ORAL LD50 ((RAT)	(RABBIT)
2-butoxyethanol (EB) / 111-76-2	0.1-1	50 ppm	25 ppm	1480 mg/kg		220 mg/kg
2-(2-methoxyethoxy)ethanol (DM) / 111	-77-3 0.1-1	n/a	n/a	5500 mg/kg 9400 m		9400 mg/kg
1,2-propanediol / 57-55-6	40-70	n/a	5 mg/m ³	20 mg/kg		20.8g/kg
carbon black / 1333-86-4	0-5	3.5 mg/m ³	3.5 mg/m ³	>8000 mg/	/kg	n/a
Continue 2 Dhysical/Chamical Characteria	4:aa					
Section 3 Physical/Chemical Characteris	tics					
Appearance and Odor coloured liquid, mil	d odor					
Specific Gravity (H_O = 1)	1.03-1.10	Viscosity Zahn cup #2 (seconds) n/a				
2 pH	8.0-8.5	% Volatile by Weight		14 + 1		
Boiling Point (°F)	212-385	Melting Point (°F)				
Vapor Pressure (mm Hg)	17.54 (H ₂ O)	Vapor Density (AIR = 1) 4.15 (DM)		(DM)		
Evaporation Rate (Butyl Acetate = 1)	` '	4.13 (DN1)		(DIVI)		
Solubility in Water	0.07 (EB)					
miscible						
Section 4 Fire and Explosion Hazard Dat	a	<u> </u>				
Flash Point (Method Used)		Flammable Limits LEL n/a		^{UEL} n/a		
II/d			n,	a	n/	'a
foam, carbon dioxide Use water spray to co						
Special Fire Fighting Procedures	ntained breathing a		nrotective clot	hina		
Unusual Fire and Explosion Hazards	named breaming a	pparatus and full	protective clot	ımıy.		
none						

Section 5 Reactivity Data	2/2				
Stability stable under normal storage and use	Conditions to Avoid none known				
La a como a dila ilita y (A di a di	alkaline and strongly acid materials				
Hazardous Docomposition or Purroducto	on will produce carbon dioxide and may yield carbon monoxide,				
oxides of nitrogen, etc					
Hazardous Polymerization will not occur	Conditions to Avoid n/a				
Will flot occur	1774				
Section 6 Health Hazard Data					
Route(s) of Entry					
eye and skin contact, innaiation, ingestio					
This product may be an eye irritant. Proto	onged or repeated contact may cause skin irritation. Prolonged				
may cause gastrointestinal irritation, naus	ause headache, dizziness and respiratory tract irritation. Ingestion				
Carcinogenicity	sea and diannea.				
Medical Conditions					
Generally Aggravated by Exposure none generally recognized	I				
Emergency and First Aid Procedures Eye: Check for an	d remove any contact lenses. Immediately flush with plenty of				
water. Get m	nedical aid.				
	3 · · · · · · · · · · · · · · · · · · ·				
	resh air. Administer artificial respiration if necessary. Get medical				
aid.	a variation. Cive 4.2 places of water to dilute atoms about				
	e vomiting. Give 1-2 glasses of water to dilute stomach contents. aid. If vomiting occurs spontaneously, keep head below hips to				
	ration of liquid into lungs. Never give anything by mouth to an				
unconscious					
Section 7 Precautions for Safe Handling and Use					
•	k if without risk. Prevent entry into drains or watercourses. Absorb nert material and put in an appropriate waste disposal.				
Wests Disposal Method	I, state and federal environmental control regulations.				
D D T	-				
Reep container	closed when not in use. Transfer only to approved containers with				
·	appropriate labeling. Store in a cool well-ventilated area. Keep from out of reach of children.				
neezing. Reep	out of reach of children.				
Section 8 Exposure Controls and Personal Protection					
Engineering controls Provide adequate ventilation Legal of	xhaust in addition to general room ventilation may be required to				
meet exposure limit(s).	kilaust in addition to general room ventilation may be required to				
Personal Protection Respiratory: none required with norma	al use in well-ventilated area				
DESUMANTY HOME RECHMEN WITH HOME?					
	for is advised for poorly ventilated areas				
NIOSH approved respirat	tor is advised for poorly ventilated areas.				
NIOSH approved respirat Eye/Face: Safety glasses, splash go	pogles.				
NIOSH approved respirat Eye/Face: Safety glasses, splash go	oogles. gloves. Wear long legged, long sleeve work clothes. Launder				
Eye/Face: Safety glasses, splash go Skin: Wear chemical resistant of contaminated clothing between the contaminated clothing clot	oogles. gloves. Wear long legged, long sleeve work clothes. Launder				

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.